


**Premium
Induction
Non Stick**



**BLACK
DIAMOND**
PREMIUM



Induction Premium Kadai Deep

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
24 cm (3.0 L)	4 mm	✓	12	IPK 24
26 cm (4.25 L)	4 mm	✓	12	IPK 26
28 cm (5.0 L)	4 mm	✓	12	IPK 28



Induction Premium Dosa Tava

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
25 cm	5 mm	✗	12	IPD 25
28 cm	5 mm	✗	12	IPD 28



Induction Premium Fry Pan

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
24 cm	4 mm	✓	12	IPF 24
26 cm	4 mm	✓	12	IPF 26



Induction Non Stick Range



**BLACK
DIAMOND**
PREMIUM



Induction Curved Tava

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
25 cm	4 mm	✗	12	IC 25
28 cm	4 mm	✗	12	IC 28

Induction Dosa Tava

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
25 cm	3.6 mm	✗	12	ID 25
28 cm	3.6 mm	✗	12	ID 28



Induction Taper Fry Pan

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
19 cm	3.2 mm	✗	12	IF 7
21 cm	3.2 mm	✗	12	IF 8
23 cm	3.2 mm	✗	12	IF 9
25 cm	3.2 mm	✗	12	IF 10

For use on



Gas



Induction

Induction Non Stick Range



**BLACK
DIAMOND**
PREMIUM



Induction Fry Pan

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
22 cm	3.2 mm	✓	12	IF 22
24 cm	3.2 mm	✓	12	IF 24
26 cm	3.2 mm	✓	12	IF 26

Induction Hotel Fry Pan

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
22 cm	3.2 mm	✗	12	IHF 22
26 cm	4 mm	✗	12	IHF 26
30 cm	4 mm	✗	12	IHF 30



Induction Kadai

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
22 cm (2.2 L)	3.2 mm	✓	12	IK 22
24 cm (2.75 L)	3.6 mm	✓	12	IK 24
26 cm (3.5 L)	3.6 mm	✓	12	IK 26
26 cm Deep (4.2 L)	3.6 mm	✓	12	IDK 26
28 cm Deep (5.0 L)	3.6 mm	✓	12	IDK 28
30 cm Deep (6.0 L)	3.6 mm	✓	12	IDK 30
32 cm Deep (7.5 L)	3.6 mm	✓	12	IDK 32



For use on



Gas



Induction

Induction Non Stick Range



**BLACK
DIAMOND**
PREMIUM



Induction Grill Pan

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
24 cm	Cast	✗	12	IGP 24
28 cm	Cast	✗	12	IGP 28

Induction Flat Tava

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
30 cm	4 mm	✗	8	IPR 30



Induction Handi

Dia / Capacity	Thickness	Glass Lid	Packing	Code Name
18 cm (3.0 L)	3.6 mm	✓	12	IHS
22 cm (4.5 L)	3.6 mm	✓	12	IHL
26 cm (7.2 L)	3.6 mm	✓	12	IHK

For use on



Gas



Induction

Regular Non Stick Range



**BLACK
DIAMOND**
PREMIUM



Non Stick Curved Tava

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
25 cm	4 mm	✗	12	C 25
28 cm	4 mm	✗	12	C 28

Non Stick Dosa Tava

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
25 cm	3.6 mm	✗	12	D 25
28 cm	3.6 mm	✗	12	D 28
33 cm	4 mm	✗	12	D 33



Non Stick Fry Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm	3.2 mm	✓	12	FD 22
24 cm	3.2 mm	✓	12	FD 24
26 cm	3.2 mm	✓	12	FD 26

Regular Non Stick Range



**BLACK
DIAMOND**
PREMIUM



Non Stick Kadai Deep

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm (2.2 L)	3.2 mm	✓	12	KD 22
24 cm (3.0 L)	3.2 mm	✓	12	KD 24
26 cm (4.25 L)	3.2 mm	✓	12	KD 26

Non Stick Pathiri Tavas

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
34 cm	5 mm	✗	8	PR 34
33 cm x 35 cm	5 mm	✗	8	PS 35



Non Stick Sandwich Toaster

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
12 cm X 12 cm	Cast	✗	24	W3

Non Stick Appa Patra

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
12 cavity - 240 mm	Cast	✗	12	AP12



**Induction
Tufkote
H a r d
Anodised**



**BLACK
DIAMOND**
PREMIUM

Induction Tufkote Curved Tava

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm	4 mm	✗	12	ITC 22
25 cm	4 mm	✗	12	ITC 25
28 cm	4 mm	✗	12	ITC 28
25 cm	8 mm	✗	12	ITC 8



Induction Tufkote Dosa Tava

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
25 cm	4 mm	✗	12	ITD 25
28 cm	4 mm	✗	12	ITD 28



Induction Tufkote Kadai Normal

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm (2.25 L)	3.2 mm	✓	12	ITK 22
24 cm (2.75 L)	3.6 mm	✓	12	ITK 24
26 cm (3.5 L)	3.6 mm	✓	12	ITK 26

For use on



Gas

Induction

**Induction
Tufkote
Hard
Anodised**



**BLACK
DIAMOND**
PREMIUM



Induction Tufkote Kadai Deep

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
26 cm (4.25 L)	3.6 mm	✓	8	ITDK 26
28 cm (5.0 L)	3.6 mm	✓	8	ITDK 28
30 cm (6.0 L)	3.6 mm	✓	8	ITDK 30
32 cm (7.5 L)	3.6 mm	✓	8	ITDK 32
36 cm (11.0 L)	3.6 mm	✓	8	ITDK 36

Induction Tufkote Fry Pan - Normal

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm	3.2 mm	✓	12	ITF 22
24 cm	3.2 mm	✓	12	ITF 24
26 cm	3.2 mm	✓	12	ITF 26



Induction Tufkote Fry Pan - Deep

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
24 cm	3.2 mm	✓	12	ITDF 24
26 cm	3.2 mm	✓	12	ITDF 26

Induction Tufkote Curry Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
24 cm	3.6 mm	✓	12	ITP 24
26 cm	3.6 mm	✓	12	ITP 26



**Induction
Tufkote
Hard
Anodised**



**BLACK
DIAMOND**
PREMIUM



Induction Tufkote Boil Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
16 cm (1.7 L)	3.2 mm	✓	12	ITB 16
18 cm (2.3 L)	3.2 mm	✓	12	ITB 18
20 cm (3.0 L)	3.2 mm	✓	12	ITB 20

Induction Tufkote Handi

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
18 cm (3.0 L)	3.6 mm	✓	12	ITHS
22 cm (4.5 L)	3.6 mm	✓	12	ITHL
26 cm (7.2 L)	3.6 mm	✓	12	ITHK



Induction Tufkote Casserole

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
20 cm (3.0 L)	3.6 mm	✓	12	ITR20
24 cm (4.5 L)	3.6 mm	✓	12	ITR24
28 cm (6.5 L)	3.6 mm	✓	12	ITR28
32 cm (10.5 L)	3.6 mm	✓	12	ITR32



Induction Tufkote Two lip Sauce Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
16 cm (1.3 L)	3.6 mm	✗	12	ITS1
18 cm (1.8 L)	3.6 mm	✗	12	ITS2
20 cm (2.5 L)	3.6 mm	✗	12	ITS3



Tufkote
H a r d
Anodised



BLACK
DIAMOND
PREMIUM



Tufkote Curved Tava - Heavy

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
25 cm	5 mm	✗	12	TC 5

Tufkote Deep Fry Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm	3.2 mm	✓	12	TDF 22
24 cm	3.2 mm	✓	12	TDF 24
26 cm	3.2 mm	✓	12	TDF 26



Tufkote Deep Kadai

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
22 cm (2.2 L)	3.2 mm	✓	12	TDK 22
24 cm (3.0 L)	3.6 mm	✓	12	TDK 24
26 cm (4.25 L)	3.6 mm	✓	12	TDK 26
28 cm (5.0 L)	3.6 mm	✓	8	TDK 28
30 cm (6.0 L)	3.6 mm	✓	8	TDK 30
32 cm (7.5 L)	3.6 mm	✓	8	TDK 32



Tufkote Tadka Pan

Dia / Capacity	Thickness	Steel Lid	Packing	Code Name
10.5 cm - Small	3.2 mm	✗	24	TP 1
13 cm - Large	3.2 mm	✗	24	TP 2



Pressure Cookers



**BLACK
DIAMOND**
PREMIUM



Galaxy White Induction

Capacity	Body Thickness	Induction	Packing	Code Name
3 Ltrs.	3.2 mm	✓	12	P-GW3
5 Ltrs.	3.2 mm	✓	8	P-GW5
6.5 Ltrs.	3.2 mm	✓	8	P-GW6.5

Galaxy Black Induction

Capacity	Body Thickness	Induction	Packing	Code Name
2 Ltrs.	3.2 mm	✓	12	P-GB2
3 Ltrs.	3.2 mm	✓	12	P-GB3
5 Ltrs.	3.2 mm	✓	8	P-GB5
6.5 Ltrs.	3.2 mm	✓	8	P-GB6.5



Prime Stainless Steel Induction

Capacity	Body Thickness	Induction	Packing	Code Name
2 Ltrs.	1.2 mm	✓	12	P-PM2
3 Ltrs.	1.2 mm	✓	12	P-PM3
3.5 Ltrs.	1.2 mm	✓	8	P-PM3.5
5 Ltrs.	1.2 mm	✓	8	P-PM5
6.5 Ltrs.	1.2 mm	✓	8	P-PM6.5

For use on



Gas



Induction

Pressure Cookers



**BLACK
DIAMOND**
PREMIUM

Concorde

Capacity	Body Thickness	Induction	Packing	Code Name
8 Ltrs.	4 mm	✗	8	P-CO8
10 Ltrs.	4 mm	✗	8	P-CO10
12 Ltrs.	4 mm	✗	8	P-CO12

President Induction

Capacity	Body Thickness	Induction	Packing	Code Name
1 Ltrs.	3.2 mm	✓	12	P-BP1
1.5 Ltrs.	3.2 mm	✓	12	P-BP1.5
2 Ltrs.	3.2 mm	✓	12	P-BP2
3 Ltrs.	3.2 mm	✓	12	P-BP3
5 Ltrs.	3.2 mm	✓	8	P-BP5
6.5 Ltrs.	3.2 mm	✓	8	P-BP6.5




President

Capacity	Body Thickness	Induction	Packing	Code Name
8 Ltrs.	4 mm	✗	8	P-BP8
10 Ltrs.	4 mm	✗	8	P-BP10
12 Ltrs.	4 mm	✗	8	P-BP12
16 Ltrs.	5 mm	✗	4	P-BP16
22 Ltrs.	5 mm	✗	4	P-BP22

TRIPLY SERIES



**BLACK
DIAMOND**
PREMIUM



TRIPLY
SERIES



Triply Kadai

Dia / Capacity	SS Lid	Packing	Code Name
24 cm (2.75 L)	✓	8	3K 24
26 cm (3.5 L)	✓	8	3K 26
28 cm (4.5 L)	✓	8	3K 28

Triply Sauce Pan

Dia / Capacity	SS Lid	Packing	Code Name
16 cm (1.75L)	✓	8	3SP16
18 cm (2.5L)	✓	8	3SP18



Triply Tope

Dia / Capacity	SS Lid	Packing	Code Name
16 cm (1.5 L)	✓	8	3TP16
20 cm (3.0 L)	✓	8	3TP20
24 cm (5.25 L)	✓	8	3TP24

For use on



Gas



Induction

**STAINLESS STEEL
SANDWICH
BOTTOM**



SS Deluxe Sauce Pan

Dia / Capacity	SS Lid	Packing	Code Name
16 cm (1.80 L)	✓	12	SPN-16
18 cm (2.50 L)	✓	12	SPN-18
20 cm (3.50 L)	✓	12	SPN-20




SS Deluxe Tope

Dia / Capacity	SS Lid	Packing	Code Name
16 cm (2.0 L)	✗	Asrtd	FBT-13
18 cm (3.0 L)	✗	Asrtd	FBT-14
20 cm (4.0 L)	✗	Asrtd	FBT-15
22 cm (5.0 L)	✗	Asrtd	FBT-16
24 cm (6.0 L)	✗	Asrtd	FBT-17
26 cm (7.2 L)	✗	Asrtd	FBT-18



**BLACK
DIAMOND
PREMIUM**



SS Kanni Sauce Pan

Dia / Capacity	SS Lid	Packing	Code Name
15 cm (1.50 L)	✗	36	KSP-15
17 cm (2.00 L)	✗	36	KSP-17
19 cm (2.75 L)	✗	36	KSP-19
21 cm (3.50 L)	✗	36	KSP-21



SS Deluxe Sauce Pot

Dia / Capacity	SS Lid	Packing	Code Name
20 cm (3.50 L)	✓	12	SPT-20
22 cm (4.50 L)	✓	12	SPT-22
24 cm (5.70 L)	✓	12	SPT-24
26 cm (7.0 L)	✓	12	SPT-26



SS Deluxe Kadai

Dia / Capacity	SS Lid	Packing	Code Name
24 cm (3.0 L)	✓	12	DLK-24
26 cm (3.75 L)	✓	12	DLK-26
28 cm (4.75 L)	✓	12	DLK-28